



**CONQUEST CAR HAULER**  
**CONQUEST FLAT TOP SLOPED V-NOSE 7K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
<b>Model #</b>	F10216CQSVCH-070	F10218CQSVCH-070	F10220CQSVCH-070	F10222CQSVCH-070	F10224CQSVCH-070	F10226CQSVCH-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube					8" x 2" Steel Tube
<b>Tongue</b>	6" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Integrated Step(s)</b>	Interior Recessed					
<b>Coupler</b>	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
<b>Safety Chains</b>	DOT Compliant, Holders on Tongue					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	30" Sloped V-Nose with 12" Drop					
<b>Beavertail</b>	32"					48"
<b>Ramp(s)</b>	16" Extension, 4000 lb. with Assist					
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel, Stainless Center Caps					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
<b>Stone Guard</b>	24" Sloped ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	Lauan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Cargo Control</b>	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CONQUEST CAR HAULER**  
**CONQUEST FLAT TOP SLOPED V-NOSE 7K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
<b>Connector Plug</b>	Holder on Tongue, Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**CONQUEST CAR HAULER**  
**CONQUEST FLAT TOP SLOPED V-NOSE 7K**

**8.5 x 28**

<b>Model #</b>	F10228CQSVCH-070
<b>CAPACITIES</b>	
<b>GVWR (lbs)</b>	7000
<b>GAWR (lbs/axle)</b>	3500
<b>CHASSIS</b>	
<b>Frame</b>	8" x 2" Steel Tube
<b>Tongue</b>	8" x 2" Steel Triple Tube
<b>Crossmembers</b>	Formed Steel, 16" On-Center
<b>Integrated Step(s)</b>	Interior Recessed
<b>Coupler</b>	2-5/16" A-Frame, Connected Latch Pin with Lanyard
<b>Safety Chains</b>	DOT Compliant, Holders on Tongue
<b>Tongue Jack</b>	5K Coupler Mounted
<b>Wall Studs</b>	Steel Tube, 16" On-Center
<b>Roof Bows</b>	Steel Tube, 16" On-Center
<b>Front Profile</b>	30" Sloped V-Nose with 12" Drop
<b>Beavertail</b>	48"
<b>Ramp(s)</b>	16" Extension, 4000 lb. with Assist
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback
<b>Vents</b>	Sidewall Airflow
<b>Fenders</b>	Aluminum Treadplate
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube
<b>Breakaway</b>	Battery, Switch, and Lanyard
<b>Tires</b>	ST205/75R15C 6-PR
<b>Wheels</b>	15", 5-Hole Steel, Stainless Center Caps
<b>Exterior Finish</b>	.030" Aluminum
<b>Undercoating</b>	Automotive
<b>Exterior Fastening</b>	VHB Bonded (Screwless)
<b>Exterior Trim</b>	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop
<b>Stone Guard</b>	24" Sloped ATP
<b>Roof</b>	Flat Top Seamless Aluminum
<b>Interior Walls</b>	Engineered Wood
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions
<b>Ceiling</b>	Lauan Strip
<b>Flooring</b>	3/4" Engineered Wood
<b>Interior Lights</b>	(2) LED
<b>Switches</b>	(1) Dome Light, 12V
<b>Cargo Control</b>	(4) 5000 lb. Recessed D-Rings
<b>Connector Plug</b>	Holder on Tongue, Round 7-pin Blade
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CONQUEST CAR HAULER**  
**CONQUEST ROUND TOP ROUND FRONT 7K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
<b>Model #</b>	F10216CQRFCH-070	F10218CQRFCH-070	F10220CQRFCH-070	F10222CQRFCH-070	F10224CQRFCH-070	F10226CQRFCH-070
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube					
<b>Tongue</b>	6" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Integrated Step(s)</b>	Interior Recessed					
<b>Coupler</b>	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
<b>Safety Chains</b>	DOT Compliant, Holders on Tongue					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	30" Sloped V-Nose with 12" Drop					
<b>Beavertail</b>	32"			48"		
<b>Ramp(s)</b>	16" Extension, 4000 lb. with Assist					
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel, Stainless Center Caps					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, ATP Radius Front Corners, Color Matching Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Round Top Seamless Aluminum					
<b>Roof Cap</b>	TPO					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	Luan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





# CONQUEST CAR HAULER CONQUEST ROUND TOP ROUND FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
<b>Cargo Control</b>	(4) 5000 lb. Recessed D-Rings					
<b>Connector Plug</b>	Holder on Tongue, Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**CONQUEST CAR HAULER**  
**CONQUEST ROUND TOP ROUND FRONT 7K**

**8.5 x 28**

<b>Model #</b>	F10228CQRFCH-070
<b>CAPACITIES</b>	
<b>GVWR (lbs)</b>	7000
<b>GAWR (lbs/axle)</b>	3500
<b>CHASSIS</b>	
<b>Frame</b>	8" x 2" Steel Tube
<b>Tongue</b>	8" x 2" Steel Triple Tube
<b>Crossmembers</b>	Formed Steel, 16" On-Center
<b>Integrated Step(s)</b>	Interior Recessed
<b>Coupler</b>	2-5/16" A-Frame, Connected Latch Pin with Lanyard
<b>Safety Chains</b>	DOT Compliant, Holders on Tongue
<b>Tongue Jack</b>	5K Coupler Mounted
<b>Wall Studs</b>	Steel Tube, 16" On-Center
<b>Roof Bows</b>	Steel Tube, 16" On-Center
<b>Front Profile</b>	30" Sloped V-Nose with 12" Drop
<b>Beavertail</b>	48"
<b>Ramp(s)</b>	16" Extension, 4000 lb. with Assist
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback
<b>Vents</b>	Sidewall Airflow
<b>Fenders</b>	Aluminum Treadplate
<b>Axle</b>	(2) 3500 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube
<b>Breakaway</b>	Battery, Switch, and Lanyard
<b>Tires</b>	ST205/75R15C 6-PR
<b>Wheels</b>	15", 5-Hole Steel, Stainless Center Caps
<b>Exterior Finish</b>	.030" Aluminum
<b>Undercoating</b>	Automotive
<b>Exterior Fastening</b>	VHB Bonded (Screwless)
<b>Exterior Trim</b>	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, ATP Radius Front Corners, Color Matching Rear Hoop
<b>Stone Guard</b>	24" ATP
<b>Roof</b>	Round Top Seamless Aluminum
<b>Roof Cap</b>	TPO
<b>Interior Walls</b>	Engineered Wood
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions
<b>Ceiling</b>	Lauan Strip
<b>Flooring</b>	3/4" Engineered Wood
<b>Interior Lights</b>	(2) LED
<b>Switches</b>	(1) Dome Light, 12V
<b>Cargo Control</b>	(4) 5000 lb. Recessed D-Rings
<b>Connector Plug</b>	Holder on Tongue, Round 7-pin Blade

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CONQUEST CAR HAULER  
CONQUEST ROUND TOP ROUND FRONT 7K**

**8.5 x 28**

**Exterior Lights**

Full LED, DOT Compliant, Integrated Backup/Taillights



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



# CONQUEST CAR HAULER

## CONQUEST ROUND TOP ROUND FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
<b>Model #</b>	F10216CQRFCH-100	F10218CQRFCH-100	F10220CQRFCH-100	F10222CQRFCH-100	F10224CQRFCH-100	F10226CQRFCH-100
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	9900					
<b>GAWR (lbs/axle)</b>	5000					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube					
<b>Tongue</b>	6" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Integrated Step(s)</b>	Interior Recessed					
<b>Coupler</b>	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
<b>Safety Chains</b>	DOT Compliant, Holders on Tongue					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	30" Sloped V-Nose with 12" Drop					
<b>Beavertail</b>	32"			48"		
<b>Ramp(s)</b>	16" Extension, 4000 lb. with Assist					
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST225/75R15D 8-PR					
<b>Wheels</b>	15", 6-Hole Steel, Stainless Center Caps					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, ATP Radius Front Corners, Color Matching Rear Hoop					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Round Top Seamless Aluminum					
<b>Roof Cap</b>	TPO					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	Luan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.







# CONQUEST CAR HAULER CONQUEST ROUND TOP ROUND FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
<b>Cargo Control</b>	(4) 5000 lb. Recessed D-Rings					
<b>Connector Plug</b>	Holder on Tongue, Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**CONQUEST CAR HAULER**  
**CONQUEST ROUND TOP ROUND FRONT 10K**

**8.5 x 28**

<b>Model #</b>	F10228CQRFCH-100
<b>CAPACITIES</b>	
<b>GVWR (lbs)</b>	9900
<b>GAWR (lbs/axle)</b>	5000
<b>CHASSIS</b>	
<b>Frame</b>	8" x 2" Steel Tube
<b>Tongue</b>	8" x 2" Steel Triple Tube
<b>Crossmembers</b>	Formed Steel, 16" On-Center
<b>Integrated Step(s)</b>	Interior Recessed
<b>Coupler</b>	2-5/16" A-Frame, Connected Latch Pin with Lanyard
<b>Safety Chains</b>	DOT Compliant, Holders on Tongue
<b>Tongue Jack</b>	2K Coupler Mounted
<b>Wall Studs</b>	Steel Tube, 16" On-Center
<b>Roof Bows</b>	Steel Tube, 16" On-Center
<b>Front Profile</b>	30" Sloped V-Nose with 12" Drop
<b>Beavertail</b>	48"
<b>Ramp(s)</b>	16" Extension, 4000 lb. with Assist
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback
<b>Vents</b>	Sidewall Airflow
<b>Fenders</b>	Aluminum Treadplate
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube
<b>Breakaway</b>	Battery, Switch, and Lanyard
<b>Tires</b>	ST225/75R15D 8-PR
<b>Wheels</b>	15", 6-Hole Steel, Stainless Center Caps
<b>Exterior Finish</b>	.030" Aluminum
<b>Undercoating</b>	Automotive
<b>Exterior Fastening</b>	VHB Bonded (Screwless)
<b>Exterior Trim</b>	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, ATP Radius Front Corners, Color Matching Rear Hoop
<b>Stone Guard</b>	24" ATP
<b>Roof</b>	Round Top Seamless Aluminum
<b>Roof Cap</b>	TPO
<b>Interior Walls</b>	Engineered Wood
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions
<b>Ceiling</b>	Lauan Strip
<b>Flooring</b>	3/4" Engineered Wood
<b>Interior Lights</b>	(2) LED
<b>Switches</b>	(1) Dome Light, 12V
<b>Cargo Control</b>	(4) 5000 lb. Recessed D-Rings
<b>Connector Plug</b>	Holder on Tongue, Round 7-pin Blade

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CAR HAULER  
CONQUEST ROUND TOP ROUND FRONT 10K

8.5 x 28

Exterior Lights

Full LED, DOT Compliant, Integrated Backup/Taillights



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

260.758.9838

[NOVAECORP.COM](http://NOVAECORP.COM)

2025 Pricing

© 2025 Novae LLC



**CONQUEST CAR HAULER**  
**CONQUEST FLAT TOP SLOPED V-NOSE 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
<b>Model #</b>	F10216CQSVCH-100	F10218CQSVCH-100	F10220CQSVCH-100	F10222CQSVCH-100	F10224CQSVCH-100	F10226CQSVCH-100
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	9900					
<b>GAWR (lbs/axle)</b>	5000					
<b>CHASSIS</b>						
<b>Frame</b>	6" x 2" Steel Tube					
<b>Tongue</b>	6" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Integrated Step(s)</b>	Interior Recessed					
<b>Coupler</b>	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
<b>Safety Chains</b>	DOT Compliant, Holders on Tongue					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	30" Sloped V-Nose with 12" Drop					
<b>Beavertail</b>	32"			48"		
<b>Ramp(s)</b>	16" Extension, 4000 lb. with Assist					
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback					
<b>Vents</b>	Sidewall Airflow					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST225/75R15D 8-PR					
<b>Wheels</b>	15", 6-Hole Steel, Stainless Center Caps					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Automotive					
<b>Exterior Fastening</b>	VHB Bonded (Screwless)					
<b>Exterior Trim</b>	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
<b>Stone Guard</b>	24" Sloped ATP					
<b>Roof</b>	Flat Top Seamless Aluminum					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions					
<b>Ceiling</b>	Lauan Strip					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(2) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Cargo Control</b>	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





# CONQUEST CAR HAULER CONQUEST FLAT TOP SLOPED V-NOSE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
<b>Connector Plug</b>	Holder on Tongue, Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**CONQUEST CAR HAULER**  
**CONQUEST FLAT TOP SLOPED V-NOSE 10K**

**8.5 x 28**

<b>Model #</b>	F10228CQSVCH-100
<b>CAPACITIES</b>	
<b>GVWR (lbs)</b>	9900
<b>GAWR (lbs/axle)</b>	5000
<b>CHASSIS</b>	
<b>Frame</b>	8" x 2" Steel Tube
<b>Tongue</b>	8" x 2" Steel Triple Tube
<b>Crossmembers</b>	Formed Steel, 16" On-Center
<b>Integrated Step(s)</b>	Interior Recessed
<b>Coupler</b>	2-5/16" A-Frame, Connected Latch Pin with Lanyard
<b>Safety Chains</b>	DOT Compliant, Holders on Tongue
<b>Tongue Jack</b>	2K Coupler Mounted
<b>Wall Studs</b>	Steel Tube, 16" On-Center
<b>Roof Bows</b>	Steel Tube, 16" On-Center
<b>Front Profile</b>	30" Sloped V-Nose with 12" Drop
<b>Beavertail</b>	48"
<b>Ramp(s)</b>	16" Extension, 4000 lb. with Assist
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback
<b>Vents</b>	Sidewall Airflow
<b>Fenders</b>	Aluminum Treadplate
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake
<b>Hubs</b>	Easy Lube
<b>Breakaway</b>	Battery, Switch, and Lanyard
<b>Tires</b>	ST225/75R15D 8-PR
<b>Wheels</b>	15", 6-Hole Steel, Stainless Center Caps
<b>Exterior Finish</b>	.030" Aluminum
<b>Undercoating</b>	Automotive
<b>Exterior Fastening</b>	VHB Bonded (Screwless)
<b>Exterior Trim</b>	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop
<b>Stone Guard</b>	24" Sloped ATP
<b>Roof</b>	Flat Top Seamless Aluminum
<b>Interior Walls</b>	Engineered Wood
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions
<b>Ceiling</b>	Luan Strip
<b>Flooring</b>	3/4" Engineered Wood
<b>Interior Lights</b>	(2) LED
<b>Switches</b>	(1) Dome Light, 12V
<b>Cargo Control</b>	(4) 5000 lb. Recessed D-Rings
<b>Connector Plug</b>	Holder on Tongue, Round 7-pin Blade
<b>Exterior Lights</b>	Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





# CONQUEST CAR HAULER

## CONQUEST FLAT TOP SLOPED V-NOSE 14K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 30
<b>Model #</b>	F10220CQSVCH-140	F10222CQSVCH-140	F10224CQSVCH-140	F10226CQSVCH-140	F10230CQSVCH-140
<b>CAPACITIES</b>					
<b>GVWR (lbs)</b>	14000				
<b>GAWR (lbs/axle)</b>	7000				
<b>CHASSIS</b>					
<b>Frame</b>	8" x 2" Steel Tube				
<b>Tongue</b>	8" x 2" Steel Triple Tube				
<b>Crossmembers</b>	Formed Steel, 16" On-Center				
<b>Integrated Step(s)</b>	Interior Recessed				
<b>Coupler</b>	2-5/16" Adjustable, Connected Latch Pin with Lanyard				
<b>Safety Chains</b>	DOT Compliant, Holders on Tongue				
<b>Tongue Jack</b>	7K Drop Leg, Set-Back				
<b>Wall Studs</b>	Steel Tube, 16" On-Center				
<b>Roof Bows</b>	Steel Tube, 16" On-Center				
<b>Front Profile</b>	30" Sloped V-Nose with 12" Drop				
<b>Beavertail</b>	48"				
<b>Ramp(s)</b>	16" Extension, 4000 lb. with Assist				
<b>Side Door</b>	36" Wide Flush Lock, Wire Holdback				
<b>Vents</b>	Sidewall Airflow				
<b>Fenders</b>	Aluminum Treadplate				
<b>Axle</b>	(2) 7000 lb. Drop Spring Brake				
<b>Hubs</b>	Easy Lube				
<b>Breakaway</b>	Battery, Switch, and Lanyard				
<b>Tires</b>	ST235/80R16E 10-PR				
<b>Wheels</b>	16", 8-Hole Steel, Stainless Center Caps				
<b>Exterior Finish</b>	.030" Aluminum				
<b>Undercoating</b>	Automotive				
<b>Exterior Fastening</b>	VHB Bonded (Screwless)				
<b>Exterior Trim</b>	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop				
<b>Stone Guard</b>	24" Sloped ATP				
<b>Roof</b>	Flat Top Seamless Aluminum				
<b>Interior Walls</b>	Engineered Wood				
<b>Interior Trim</b>	Extruded Aluminum Wall Transitions				
<b>Ceiling</b>	Lauan Strip				
<b>Flooring</b>	3/4" Engineered Wood				
<b>Interior Lights</b>	(2) LED				
<b>Switches</b>	(1) Dome Light, 12V				
<b>Cargo Control</b>	(4) 5000 lb. Recessed D-Rings				
<b>Connector Plug</b>	Holder on Tongue, Round 7-pin Blade				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CONQUEST CAR HAULER**  
**CONQUEST FLAT TOP SLOPED V-NOSE 14K**

8.5 x 20

8.5 x 22

8.5 x 24

8.5 x 26

8.5 x 30

**Exterior Lights**

Full LED, DOT Compliant, Integrated Backup/Tailights



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.