



CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 14K

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12	8.5 x 14
Model #	F8414CQSV-140	F8416CQSV-140	F8418CQSV-140	F8420CQSV-140	F10212CQSV-140	F10214CQSV-140
CAPACITIES						
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
CHASSIS						
Frame	8" x 2" Steel Tube					
Tongue	8" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	7K Drop Leg, Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center				Steel Tube, 16" On-Center	
Front Profile	24" Sloped V-Nose with 12" Drop				30" Sloped V-Nose with 12" Drop	
Ramp(s)	12" Extension, 2500 lb. with Assist				12" Extension, 4000 lb. with Assist	
Side Door	32" Wide Flush Lock, Wire Holdback				36" Wide Flush Lock, Wire Holdback	
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 7000 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 14K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	F10216CQSV-140	F10218CQSV-140	F10220CQSV-140	F10222CQSV-140	F10224CQSV-140	F10226CQSV-140
CAPACITIES						
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
CHASSIS						
Frame	8" x 2" Steel Tube					
Tongue	8" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	7K Drop Leg, Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 7000 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 14K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34
Model #	F10228CQSV-140	F10230CQSV-140	F10232CQSV-140	F10234CQSV-140
CAPACITIES				
GVWR (lbs)	14000			
GAWR (lbs/axle)	7000			
CHASSIS				
Frame	8" x 2" Steel Tube			
Tongue	8" x 2" Steel Triple Tube			
Crossmembers	Formed Steel, 16" On-Center			
Integrated Step(s)	Interior Recessed			
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard			
Safety Chains	DOT Compliant, Holders on Tongue			
Tongue Jack	7K Drop Leg, Set-Back			
Wall Studs	Steel Tube, 16" On-Center			
Roof Bows	Steel Tube, 16" On-Center			
Front Profile	30" Sloped V-Nose with 12" Drop			
Ramp(s)	12" Extension, 4000 lb. with Assist			
Side Door	36" Wide Flush Lock, Wire Holdback			
Vents	Sidewall Airflow			
Fenders	Aluminum Treadplate			
Axle	(2) 7000 lb. Drop Spring Brake			
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST235/80R16E 10-PR			
Wheels	16", 8-Hole Steel, Stainless Center Caps			
Exterior Finish	.030" Aluminum			
Undercoating	Automotive			
Exterior Fastening	VHB Bonded (Screwless)			
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop			
Stone Guard	24" Sloped ATP			
Roof	Flat Top Seamless Aluminum			
Interior Walls	Engineered Wood			
Interior Trim	Extruded Aluminum Wall Transitions			
Ceiling	Lauan Strip			
Flooring	3/4" Engineered Wood			
Interior Lights	(1) LED			
Switches	(1) Dome Light, 12V			
Connector Plug	Holder on Tongue, Round 7-pin Blade			
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights			

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 5K

	6 x 10	6 x 12	6 x 14
Model #	F7210CQSV-050	F7212CQSV-050	F7214CQSV-050
CAPACITIES			
GVWR (lbs)		5000	
GAWR (lbs/axle)		5000	
CHASSIS			
Frame	4" x 2" Steel Tube		
Tongue	4" x 2" Steel Tube		
Crossmembers	Formed Steel, 16" On-Center		
Coupler	2" A-Frame, Connected Latch Pin with Lanyard		
Safety Chains	DOT Compliant, Holders on Tongue		
Tongue Jack	2K Coupler Mounted		
Wall Studs	Steel Tube, 16" On-Center		
Roof Bows	Steel Tube, 24" On-Center		
Front Profile	24" Sloped V-Nose with 12" Drop		
Ramp(s)	12" Extension, 1500 lb. with Assist		
Side Door	32" Wide Flush Lock, Wire Holdback		
Vents	Sidewall Airflow		
Fenders	Aluminum Treadplate		
Axle	5200 lb. Drop Spring Brake		
Hubs	Easy Lube		
Breakaway	Battery, Switch, and Lanyard		
Tires	ST225/75R15D 8-PR		
Wheels	15", 6-Hole Steel, Stainless Center Caps		
Exterior Finish	.030" Aluminum		
Undercoating	Automotive		
Exterior Fastening	VHB Bonded (Screwless)		
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop		
Stone Guard	24" Sloped ATP		
Roof	Flat Top Seamless Aluminum		
Interior Walls	Engineered Wood		
Interior Trim	Extruded Aluminum Wall Transitions		
Ceiling	Luan Strip		
Flooring	3/4" Engineered Wood		
Interior Lights	(1) LED		
Switches	(1) Dome Light, 12V		
Connector Plug	Holder on Tongue, Round 7-pin Blade		
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 7K

	6 x 10	6 x 12	6 x 14	6 x 14	7 x 12	7 x 14
Model #	F7210CQSV-070	F7212CQSV-070	F7214CQSV-SA-070	F7214CQSV-070	F8412CQSV-070	F8414CQSV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500		7000		3500	
CHASSIS						
Frame	4" x 2" Steel Tube		6" x 2" Steel Tube		4" x 2" Steel Tube	
Tongue	4" x 2" Steel Tube				6" x 2" Steel Tube	
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	24" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension, 1500 lb. with Assist				12" Extension, 2500 lb. with Assist	
Side Door	32" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Luan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 7K

	7 x 16	7 x 18	7 x 20	7.5 x 14	7.5 x 16	7.5 x 18
Model #	F8416CQSV-070	F8418CQSV-070	F8420CQSV-070	F9014CQSV-070	F9016CQSV-070	F9018CQSV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	4" x 2" Steel Tube			6" x 2" Steel Tube		
Tongue	6" x 2" Steel Tube					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	24" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension, 2500 lb. with Assist					
Side Door	32" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Luan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 7K

	7.5 x 20	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Model #	F9020CQSV-070	F10212CQSV-070	F10214CQSV-070	F10216CQSV-070	F10218CQSV-070	F10220CQSV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Tube	6" x 2" Steel Triple Tube				
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center	Steel Tube, 16" On-Center				
Front Profile	24" Sloped V-Nose with 12" Drop	30" Sloped V-Nose with 12" Drop				
Ramp(s)	12" Extension, 2500 lb. with Assist	12" Extension, 4000 lb. with Assist				
Side Door	32" Wide Flush Lock, Wire Holdback	36" Wide Flush Lock, Wire Holdback				
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 7K

	7.5 x 20	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 7K

	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32
Model #	F10222CQSV-070	F10224CQSV-070	F10226CQSV-070	F10228CQSV-070	F10230CQSV-070	F10232CQSV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Steel Tube			8" x 2" Steel Tube		
Tongue	6" x 2" Steel Triple Tube			8" x 2" Steel Triple Tube		
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Coupler Mounted			5K Coupler Mounted		
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 7K

8.5 x 34	
Model #	F10234CQSV-070
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard
Safety Chains	DOT Compliant, Holders on Tongue
Tongue Jack	5K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	30" Sloped V-Nose with 12" Drop
Ramp(s)	12" Extension, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Aluminum Treadplate
Axle	(2) 3500 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel, Stainless Center Caps
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop
Stone Guard	24" Sloped ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Interior Trim	Extruded Aluminum Wall Transitions
Ceiling	Lauan Strip
Flooring	3/4" Engineered Wood
Interior Lights	(1) LED
Switches	(1) Dome Light, 12V
Connector Plug	Holder on Tongue, Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 10K

	7 x 14	7 x 16	7 x 18	7 x 20	7.5 x 14	7.5 x 16
Model #	F8414CQSV-100	F8416CQSV-100	F8418CQSV-100	F8420CQSV-100	F9014CQSV-100	F9016CQSV-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Tube					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	24" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension, 2500 lb. with Assist					
Side Door	32" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Luan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 10K

	7.5 x 18	7.5 x 20	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18
Model #	F9018CQSV-100	F9020CQSV-100	F10212CQSV-100	F10214CQSV-100	F10216CQSV-100	F10218CQSV-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Tube		6" x 2" Steel Triple Tube			
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center		Steel Tube, 16" On-Center			
Front Profile	24" Sloped V-Nose with 12" Drop		30" Sloped V-Nose with 12" Drop			
Ramp(s)	12" Extension, 2500 lb. with Assist		12" Extension, 4000 lb. with Assist			
Side Door	32" Wide Flush Lock, Wire Holdback		36" Wide Flush Lock, Wire Holdback			
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 10K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30
Model #	F10220CQSV-100	F10222CQSV-100	F10224CQSV-100	F10226CQSV-100	F10228CQSV-100	F10230CQSV-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube				8" x 2" Steel Tube	
Tongue	6" x 2" Steel Triple Tube				8" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Coupler Mounted				5K Coupler Mounted	
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 10K

	8.5 x 32	8.5 x 34
Model #	F10232CQSV-100	F10234CQSV-100
CAPACITIES		
GVWR (lbs)	9900	
GAWR (lbs/axle)	5000	
CHASSIS		
Frame	8" x 2" Steel Tube	
Tongue	8" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 16" On-Center	
Integrated Step(s)	Interior Recessed	
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard	
Safety Chains	DOT Compliant, Holders on Tongue	
Tongue Jack	5K Coupler Mounted	
Wall Studs	Steel Tube, 16" On-Center	
Roof Bows	Steel Tube, 16" On-Center	
Front Profile	30" Sloped V-Nose with 12" Drop	
Ramp(s)	12" Extension, 4000 lb. with Assist	
Side Door	36" Wide Flush Lock, Wire Holdback	
Vents	Sidewall Airflow	
Fenders	Aluminum Treadplate	
Axle	(2) 5200 lb. Drop Spring Brake	
Hubs	Easy Lube	
Breakaway	Battery, Switch, and Lanyard	
Tires	ST225/75R15D 8-PR	
Wheels	15", 6-Hole Steel, Stainless Center Caps	
Exterior Finish	.030" Aluminum	
Undercoating	Automotive	
Exterior Fastening	VHB Bonded (Screwless)	
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop	
Stone Guard	24" Sloped ATP	
Roof	Flat Top Seamless Aluminum	
Interior Walls	Engineered Wood	
Interior Trim	Extruded Aluminum Wall Transitions	
Ceiling	Lauan Strip	
Flooring	3/4" Engineered Wood	
Interior Lights	(1) LED	
Switches	(1) Dome Light, 12V	
Connector Plug	Holder on Tongue, Round 7-pin Blade	
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST ROUND TOP ROUND FRONT 3K

	6 x 10	6 x 12	6 x 14	6 x 14	7 x 12
Model #	F7210CQRF-030	F7212CQRF-030	F7214CQRF-035	F7214CQRF-030	F8412CQRF-035
CAPACITIES					
GVWR (lbs)	2990		3500	2990	3500
GAWR (lbs/axle)	3500				
CHASSIS					
Frame	4" x 2" Steel Tube				
Tongue	4" x 2" Steel Tube				6" x 2" Steel Tube
Crossmembers	Formed Steel, 16" On-Center				
Coupler	2" A-Frame, Connected Latch Pin with Lanyard				
Safety Chains	DOT Compliant, Holders on Tongue				
Tongue Jack	2K Coupler Mounted				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 24" On-Center				
Front Profile	Round				
Ramp(s)	12" Extension, 1500 lb. with Assist				12" Extension, 2500 lb. with Assist
Side Door	32" Wide Flush Lock, Wire Holdback				
Vents	Sidewall Airflow				
Fenders	Aluminum Treadplate				
Axle	3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake
Hubs	Easy Lube				
Breakaway			Battery, Switch, and Lanyard		Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR				
Wheels	15", 5-Hole Steel, Stainless Center Caps				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, ATP Radius Front Corners, Color Matching Rear Hoop				
Stone Guard	24" ATP				
Roof	Round Top Seamless Aluminum				
Roof Cap	TPO				
Interior Walls	Engineered Wood				
Interior Trim	Extruded Aluminum Wall Transitions				
Ceiling	Luan Strip				
Flooring	3/4" Engineered Wood				
Interior Lights	(1) LED				
Switches	(1) Dome Light, 12V				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST ROUND TOP ROUND FRONT 3K

	6 x 10	6 x 12	6 x 14	6 x 14	7 x 12
Connector Plug	Flat 4-pin, Holder on Tongue		Holder on Tongue, Round 7-pin Blade	Flat 4-pin, Holder on Tongue	Holder on Tongue, Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant		Full LED, DOT Compliant, Integrated Backup/Taillights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights
DIMENSIONS					
Overall Length	169"	193"		217"	199"
Deck Length	64.31"	88.31"		112.31"	88.56"
Deck Width	68.88"			68.88"	80.88"
Deck Height	17.75"			17.75"	18.75"

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST ROUND TOP ROUND FRONT 10K

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16	8.5 x 18
Model #	F8414CQRF-100	F8416CQRF-100	F8418CQRF-100	F8420CQRF-100	F10216CQRF-100	F10218CQRF-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" x 2" Steel Tube				6" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)						Interior Recessed
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center				Steel Tube, 16" On-Center	
Front Profile	Round					
Ramp(s)	12" Extension, 2500 lb. with Assist				12" Extension, 4000 lb. with Assist	
Side Door	32" Wide Flush Lock, Wire Holdback				36" Wide Flush Lock, Wire Holdback	
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, ATP Radius Front Corners, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Round Top Seamless Aluminum					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO CONQUEST ROUND TOP ROUND FRONT 10K

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16	8.5 x 18
DIMENSIONS						
Overall Length	222"	246"	270"	294"		
Deck Length	112.56"	136.56"	160.56"	184.56"		
Deck Width	80.88"					
Deck Height	21.5"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



CONQUEST CARGO
CONQUEST ROUND TOP ROUND FRONT 10K

	8.5 x 20	8.5 x 22	8.5 x 24
Model #	F10220CQRF-100	F10222CQRF-100	F10224CQRF-100
CAPACITIES			
GVWR (lbs)	9900		
GAWR (lbs/axle)	5000		
CHASSIS			
Frame	6" x 2" Steel Tube		
Tongue	6" x 2" Steel Triple Tube		
Crossmembers	Formed Steel, 16" On-Center		
Integrated Step(s)	Interior Recessed		
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard		
Safety Chains	DOT Compliant, Holders on Tongue		
Tongue Jack	2K Coupler Mounted		
Wall Studs	Steel Tube, 16" On-Center		
Roof Bows	Steel Tube, 16" On-Center		
Front Profile	Round		
Ramp(s)	12" Extension, 4000 lb. with Assist		
Side Door	36" Wide Flush Lock, Wire Holdback		
Vents	Sidewall Airflow		
Fenders	Aluminum Treadplate		
Axle	(2) 5200 lb. Drop Spring Brake		
Hubs	Easy Lube		
Breakaway	Battery, Switch, and Lanyard		
Tires	ST225/75R15D 8-PR		
Wheels	15", 6-Hole Steel, Stainless Center Caps		
Exterior Finish	.030" Aluminum		
Undercoating	Automotive		
Exterior Fastening	VHB Bonded (Screwless)		
Exterior Trim	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, ATP Radius Front Corners, Color Matching Rear Hoop		
Stone Guard	24" ATP		
Roof	Round Top Seamless Aluminum		
Roof Cap	TPO		
Interior Walls	Engineered Wood		
Interior Trim	Extruded Aluminum Wall Transitions		
Ceiling	Luan Strip		
Flooring	3/4" Engineered Wood		
Interior Lights	(1) LED		
Switches	(1) Dome Light, 12V		
Connector Plug	Holder on Tongue, Round 7-pin Blade		
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 3K

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Model #	F6008CQSV-030	F6008CQSV-035	F6010CQSV-030	F6010CQSV-035	F7210CQSV-030	F7210CQSV-035
CAPACITIES						
GVWR (lbs)	2990	3500	2990	3500	2990	3500
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	4" x 2" Steel Tube					
Tongue	4" x 2" Steel Tube					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2" A-Frame, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	24" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension, 1500 lb. with Assist					
Side Door					32" Wide Flush Lock, Wire Holdback	
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake
Hubs	Easy Lube					
Breakaway		Battery, Switch, and Lanyard		Battery, Switch, and Lanyard		Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 3K**

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Connector Plug	Flat 4-pin, Holder on Tongue	Holder on Tongue, Round 7-pin Blade	Flat 4-pin, Holder on Tongue	Holder on Tongue, Round 7-pin Blade	Flat 4-pin, Holder on Tongue	Holder on Tongue, Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST FLAT TOP SLOPED V-NOSE 3K

	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12
Model #	F7212CQSV-030	F7212CQSV-035	F7214CQSV-035	F7214CQSV-030	F8412CQSV-035
CAPACITIES					
GVWR (lbs)	2990	3500		2990	3500
GAWR (lbs/axle)	3500				
CHASSIS					
Frame	4" x 2" Steel Tube				
Tongue	4" x 2" Steel Tube			6" x 2" Steel Tube	
Crossmembers	Formed Steel, 16" On-Center				
Coupler	2" A-Frame, Connected Latch Pin with Lanyard				
Safety Chains	DOT Compliant, Holders on Tongue				
Tongue Jack	2K Coupler Mounted				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 24" On-Center				
Front Profile	24" Sloped V-Nose with 12" Drop				
Ramp(s)	12" Extension, 1500 lb. with Assist			12" Extension, 2500 lb. with Assist	
Side Door	32" Wide Flush Lock, Wire Holdback				
Vents	Sidewall Airflow				
Fenders	Aluminum Treadplate				
Axle	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake		3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard			Battery, Switch, and Lanyard	
Tires	ST205/75R15C 6-PR				
Wheels	15", 5-Hole Steel, Stainless Center Caps				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop				
Stone Guard	24" Sloped ATP				
Roof	Flat Top Seamless Aluminum				
Interior Walls	Engineered Wood				
Interior Trim	Extruded Aluminum Wall Transitions				
Ceiling	Lauan Strip				
Flooring	3/4" Engineered Wood				
Interior Lights	(1) LED				
Switches	(1) Dome Light, 12V				
Connector Plug	Flat 4-pin, Holder on Tongue	Holder on Tongue, Round 7-pin Blade		Flat 4-pin, Holder on Tongue	Holder on Tongue, Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights		Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO
CONQUEST ROUND TOP ROUND FRONT 7K

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20
Model #	F7212CQRF-070	F8412CQRF-070	F8414CQRF-070	F8416CQRF-070	F8418CQRF-070	F8420CQRF-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	4" x 2" Steel Tube					
Tongue	4" x 2" Steel Tube	6" x 2" Steel Tube				
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Round					
Ramp(s)	12" Extension, 1500 lb. with Assist	12" Extension, 2500 lb. with Assist				
Side Door	32" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, ATP Radius Front Corners, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Round Top Seamless Aluminum					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Holder on Tongue, Round 7-pin Blade					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





CONQUEST CARGO CONQUEST ROUND TOP ROUND FRONT 7K

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					
DIMENSIONS						
Overall Length	192"	198"	222"	246"	270"	294"
Deck Length	88.31"	88.56"	112.56"	136.56"	160.56"	184.56"
Deck Width	68.88"	80.88"				
Deck Height	18.75"				20.75"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



CONQUEST CARGO
CONQUEST ROUND TOP ROUND FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Model #	F10216CQRF-070	F10218CQRF-070	F10220CQRF-070	F10222CQRF-070	F10224CQRF-070
CAPACITIES					
GVWR (lbs)	7000				
GAWR (lbs/axle)	3500				
CHASSIS					
Frame	6" x 2" Steel Tube				
Tongue	6" x 2" Steel Triple Tube				
Crossmembers	Formed Steel, 16" On-Center				
Integrated Step(s)	Interior Recessed				
Coupler	2-5/16" A-Frame, Connected Latch Pin with Lanyard				
Safety Chains	DOT Compliant, Holders on Tongue				
Tongue Jack	2K Coupler Mounted				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 16" On-Center				
Front Profile	Round				
Ramp(s)	12" Extension, 4000 lb. with Assist				
Side Door	36" Wide Flush Lock, Wire Holdback				
Vents	Sidewall Airflow				
Fenders	Aluminum Treadplate				
Axle	(2) 3500 lb. Drop Spring Brake				
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard				
Tires	ST205/75R15C 6-PR				
Wheels	15", 5-Hole Steel, Stainless Center Caps				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, ATP Radius Front Corners, Color Matching Rear Hoop				
Stone Guard	24" ATP				
Roof	Round Top Seamless Aluminum				
Roof Cap	TPO				
Interior Walls	Engineered Wood				
Interior Trim	Extruded Aluminum Wall Transitions				
Ceiling	Lauan Strip				
Flooring	3/4" Engineered Wood				
Interior Lights	(1) LED				
Switches	(1) Dome Light, 12V				
Connector Plug	Holder on Tongue, Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

