

TRAILPRO DELUXE FLAT TOP SLOPED V-NOSE 10K

	7.5 x 17	7.5 x 19	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27	
Model #	F9017TDSVA-100	F9019TDSVA-100	F9021TDSVA-	F9023TDSVA-	F9025TDSVA-	F9027TDSVA-	
wodei #	100 100 100 100						
CAPACITIES							
GVWR (lbs)	9900						
GAWR (lbs/axle)	5000						
CHASSIS							
Frame		6" x 2" Double Hollow Aluminum Tube					
Tongue		6" x 2" Double	Hollow Aluminum T	riple Tube, Max Ext	ension		
Crossmembers			Aluminum Tube, 16'	On-Center			
Coupler			2-5/16" Adjus	table			
Safety Chains			DOT Compli	ant			
Tongue Jack			5K Set-Bac	ck			
Wall Studs			Aluminum Tube, 16'	On-Center			
Roof Bows			Aluminum Tube, 16'	On-Center			
Front Profile			60" Aero We	dge			
Ramp(s)	12" Extension	with Hingeless Bracket	s (Both Ramps), 61'	Front Wedge with	Assist, Aluminum w	vith Assist	
Side Door	32" Wide Flush Lock, Cast Aluminum 36" Wide Flush Lock, Cast Aluminum Holdback						
Access Doors	(2) 14" x 14" Fuel						
Vents	Sidewall Airflow						
Fenders	Aluminum Treadplate						
Axle	(2) 5200 lb. Drop Spring Brake						
Hubs	Easy Lube						
Breakaway	Battery, Switch, and Lanyard						
Tires	ST225/75R15D 8-PR						
Wheels			15", 6-Hole Alu				
Exterior Finish			.030" Alumir				
Exterior Fastening			VHB Bonded (Sci	<u> </u>			
Exterior Trim	2.7'	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard			24" Sloped A	ATP			
Rear Spoiler			9" Flare				
Roof			Flat Top Seamless				
Interior Walls			9mm White V	•			
Interior Trim		•	Wood Kickplate, 24				
Ceiling		Vinyl Ceiling Trar	nsitions, White Vinyl		ım Coves		
Flooring	3/4" Engineered Wood						
Interior Lights	(2) 11" LED						
Switches	(1) Dome Light, 12V, (2) Load Light, 12V						
Cargo Control			(9) 2.5K Recessed	I D-Rings			



 $Specifications\ and\ Pricing\ subject\ to\ change\ without\ notice,\ please\ reference\ confirmation\ sheet\ for\ final\ pricing.$



TRAILPRO DELUXE FLAT TOP SLOPED V-NOSE 10K

	7.5 x 17	7.5 x 19	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27
Connector Plug			Round 7-pin E	Blade		
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					



 $Specifications\ and\ Pricing\ subject\ to\ change\ without\ notice,\ please\ reference\ confirmation\ sheet\ for\ final\ pricing.$



TRAILPRO DELUXE FLAT TOP SLOPED V-NOSE 10K

	7.5 x 29	7.5 x 33	7.5 x 35	7.5 x 37				
Model #	F9029TDSVA-100	F9033TDSVA-100	F9035TDSVA-100	F9037TDSVA-100				
CAPACITIES								
GVWR (lbs)		990	00					
GAWR (lbs/axle)		500	00					
CHASSIS								
Frame		6" x 2" Double Hollo	ow Aluminum Tube					
Tongue		6" x 2" Double Hollow Aluminu	m Triple Tube, Max Extension					
Crossmembers		Aluminum Tube	, 16" On-Center					
Coupler		2-5/16" A	djustable					
Safety Chains		DOT Cor	mpliant					
Tongue Jack		5K Set	-Back					
Wall Studs		Aluminum Tube	, 16" On-Center					
Roof Bows		Aluminum Tube	, 16" On-Center					
Front Profile		60" Aero	Wedge					
Ramp(s)	12" Extension with H	ingeless Brackets (Both Ramps)	, 61" Front Wedge with Assist, A	Aluminum with Assist				
Side Door		36" Wide Flush Lock, Ca	st Aluminum Holdback					
Access Doors		(2) 14" x	14" Fuel					
Vents		Sidewall	Airflow					
Fenders		Aluminum Treadplate						
Axle		(2) 5200 lb. Drop Spring Brake						
Hubs	Easy Lube							
Breakaway	Battery, Switch, and Lanyard							
Tires		ST225/75R15D 8-PR						
Wheels		15", 6-Hole Aluminum						
Exterior Finish		.030" Alı	uminum					
Exterior Fastening		VHB Bonded	(Screwless)					
Exterior Trim	2.7" Botto	m Extrusion, 2.7" Top Extrusion,	ATP Nose Cap, Color Matching	Rear Hoop				
Stone Guard		24" Slop	ed ATP					
Rear Spoiler		9" FI	are					
Roof		Flat Top Seaml	ess Aluminum					
Interior Walls		9mm Wh	•					
Interior Trim		3/4" Engineered Wood Kickplate	<u> </u>					
Ceiling	\	/inyl Ceiling Transitions, White V	•	S				
Flooring		3/4" Engine						
Interior Lights		(2) 11						
Switches		(1) Dome Light, 12V,	<u> </u>					
Cargo Control	(9) 2.5K Recessed D-Rings							
Connector Plug		Round 7-ր						
Exterior Lights	(1) Front LED Load	ding, (2) Rear LED Loading, Full I	LED, DOT Compliant, Integrated	Backup/Taillights				



 $Specifications\ and\ Pricing\ subject\ to\ change\ without\ notice,\ please\ reference\ confirmation\ sheet\ for\ final\ pricing.$



TRAILPRO DELUXE FLAT TOP SLOPED V-NOSE 7K

	7 x 19	7 x 23	7 x 27	7 x 29	7.5 x 17	7.5 x 19	
Model #	F8419TDSVA-070	F8423TDSVA- 070	F8427TDSVA- 070	F8429TDSVA- 070	F9017TDSVA-070	F9019TDSVA-070	
CAPACITIES							
GVWR (lbs)	7000						
GAWR (lbs/axle)			350	0			
CHASSIS							
Frame	5" x 2"	Double Hollow Al	uminum Tube		6" x 2" Double Holl	ow Aluminum Tube	
Tongue	5" x 3" Double Hollo			rtension	6" x 2" Double Hollo	ow Aluminum Triple Extension	
Crossmembers			Aluminum Tube,	16" On-Center			
Coupler		2-5/16" Straight I	Demco		2-5/16" A	djustable	
Safety Chains			DOT Con	npliant			
Tongue Jack		2K Frame Mou	nted		5K Se	t-Back	
Wall Studs			Aluminum Tube,	16" On-Center			
Roof Bows			Aluminum Tube,	16" On-Center			
Front Profile	60" Sloped V-Nose with 6" Drop 60" Aero Wedge					o Wedge	
Ramp(s)	12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist						
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback	36" Wide Flush Lock, Cast Aluminum Holdback			32" Wide Flush Lock, Cast Aluminum Holdback		
Access Doors	(2) 14" x 14" Fuel						
Vents	Sidewall Airflow						
Fenders	Aluminum Treadplate						
Axle	(2) 3500 lb. Drop Spring Brake						
Hubs	Easy Lube						
Breakaway		Battery, Switch, and Lanyard					
Tires			ST205/75R				
Wheels			15", 5-Hole				
Exterior Finish			.030" Alu				
Exterior Fastening	VHB Bonded (Screwless)						
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop						
Stone Guard	24" Sloped ATP						
Rear Spoiler			9" Fl				
Roof		Flat Top Seamless Aluminum					
Interior Walls		9mm White Vinyl					
Interior Trim		3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions					
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves						
Flooring	3/4" Engineered Wood						
Interior Lights	(2) 11" LED (1) Dome Light, 12V, (2) Load Light, 12V						
Switches		(1)	Donie Light, 12V,	(2) Loau Light, 12	·V		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRAILPRO DELUXE FLAT TOP SLOPED V-NOSE 7K

	7 x 19	7 x 23	7 x 27	7 x 29	7.5 x 17	7.5 x 19
Cargo Control			(9) 2.5K Reces	sed D-Rings		
Connector Plug		Round 7-pin Blade				
Exterior Lights	(1) Front LED L	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights				





TRAILPRO DELUXE FLAT TOP SLOPED V-NOSE 7K

	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27	7.5 x 29	7.5 x 31		
Model #	F9021TDSVA-070	F9023TDSVA-070	F9025TDSVA-070	F9027TDSVA-070	F9029TDSVA-070	F9031TDSVA-070		
CAPACITIES								
GVWR (lbs)	7000							
GAWR (lbs/axle)			35	00				
CHASSIS								
Frame			6" x 2" Double Holl	ow Aluminum Tube				
Tongue	6" x 2" Double Hollow Aluminum Triple Tube, Max Extension							
Crossmembers			Aluminum Tube	e, 16" On-Center				
Coupler			2-5/16" A	djustable				
Safety Chains			DOT Co	mpliant				
Tongue Jack			5K Se	t-Back				
Wall Studs			Aluminum Tube	, 16" On-Center				
Roof Bows			Aluminum Tube	, 16" On-Center				
Front Profile			60" Aero	o Wedge				
Ramp(s)	12" Extens	ion with Hingeless B	rackets (Both Ramps)), 61" Front Wedge wi	ith Assist, Aluminum	with Assist		
Side Door		36	5" Wide Flush Lock, C	ast Aluminum Holdba	ack			
Access Doors			(2) 14" x	14" Fuel				
Vents			Sidewal	l Airflow				
Fenders	Aluminum Treadplate							
Axle	(2) 3500 lb. Drop Spring Brake							
Hubs	Easy Lube							
Breakaway	Battery, Switch, and Lanyard							
Tires	ST205/75R15C 6-PR							
Wheels	15", 5-Hole Aluminum							
Exterior Finish		.030" Aluminum						
Exterior Fastening				(Screwless)				
Exterior Trim		2.7" Bottom Extrusion	n, 2.7" Top Extrusion,	ATP Nose Cap, Colo	r Matching Rear Hoo	p		
Stone Guard				oed ATP				
Rear Spoiler				lare				
Roof				less Aluminum				
Interior Walls				nite Vinyl				
Interior Trim			eered Wood Kickplate	• •				
Ceiling		Vinyl Ceilin	g Transitions, White	•	inum Coves			
Flooring			-	eered Wood				
Interior Lights			· ,	l" LED				
Switches			· ·	, (2) Load Light, 12V				
Cargo Control		(9) 2.5K Recessed D-Rings						
Connector Plug	Round 7-pin Blade (1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights							
Exterior Lights	(1) Fror	nt LED Loading, (2) Re	ear LED Loading, Full	LED, DOT Compliant,	Integrated Backup/T	aillights		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRAILPRO DELUXE FLAT TOP SLOPED V-NOSE 7K

	7.5 x 33	7.5 x 35	7.5 x 37					
Model #	F9033TDSVA-070	F9035TDSVA-070	F9037TDSVA-070					
CAPACITIES								
GVWR (lbs)		7000						
GAWR (lbs/axle)		3500						
CHASSIS								
Frame		6" x 2" Double Hollow Aluminum Tube						
Tongue	6" x 2" Double Hollow Aluminum Triple Tube, Max Extension							
Crossmembers		Aluminum Tube, 16" On-Center						
Coupler		2-5/16" Adjustable						
Safety Chains		DOT Compliant						
Tongue Jack		5K Set-Back						
Wall Studs		Aluminum Tube, 16" On-Center						
Roof Bows		Aluminum Tube, 16" On-Center						
Front Profile		60" Aero Wedge						
Ramp(s)	12" Extension with Hingeless B	rackets (Both Ramps), 61" Front Wedge wi	th Assist, Aluminum with Assist					
Side Door	36	5" Wide Flush Lock, Cast Aluminum Holdba	ck					
Access Doors		(2) 14" x 14" Fuel						
Vents		Sidewall Airflow						
Fenders		Aluminum Treadplate						
Axle		(2) 3500 lb. Drop Spring Brake						
Hubs	Easy Lube							
Breakaway	Battery, Switch, and Lanyard							
Tires	ST205/75R15C 6-PR							
Wheels		15", 5-Hole Aluminum						
Exterior Finish		.030" Aluminum						
Exterior Fastening		VHB Bonded (Screwless)						
Exterior Trim	2.7" Bottom Extrusio	n, 2.7" Top Extrusion, ATP Nose Cap, Color	Matching Rear Hoop					
Stone Guard		24" Sloped ATP						
Rear Spoiler		9" Flare						
Roof		Flat Top Seamless Aluminum						
Interior Walls		9mm White Vinyl						
Interior Trim		eered Wood Kickplate, 24" Tall, Vinyl Wall						
Ceiling	Vinyl Ceilir	ng Transitions, White Vinyl Liner with Alum	inum Coves					
Flooring		3/4" Engineered Wood						
Interior Lights		(2) 11" LED						
Switches		(1) Dome Light, 12V, (2) Load Light, 12V						
Cargo Control		(9) 2.5K Recessed D-Rings						
Connector Plug	Round 7-pin Blade							
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights							



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.