



TRAVERSE CARGO
TRAVERSE FLAT TOP V-NOSE 3K

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Model #	F6008TVSV-035	F6008TVSV-030	F6010TVSV-035	F6010TVSV-030	F7210TVSV-030	F7210TVSV-035
CAPACITIES						
GVWR (lbs)	3500	2990	3500	2990		3500
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	4" x 2" Steel Tube					
Tongue	4" x 2" Steel Tube					
Crossmembers	Formed Steel, 24" On-Center					
Coupler	2" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 24" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	1500 lb. with Assist					
Side Door					32" Wide Flush Lock, Wire Holdback	
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard		Battery, Switch, and Lanyard		Battery, Switch, and Lanyard	
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	Color Matching Screws					
Exterior Trim	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade	Flat 4-pin	Round 7-pin Blade	Flat 4-pin	Round 7-pin Blade	
Exterior Lights	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**TRAVERSE CARGO
TRAVERSE FLAT TOP V-NOSE 3K**

	6 x 10	6 x 12	6 x 12	6 x 12	6 x 14	6 x 14
Model #	F7210TVSV-050	F7212TVSV-050	F7212TVSV-035	F7212TVSV-030	F7214TVSV-030	F7214TVSV-035
CAPACITIES						
GVWR (lbs)	5000		3500	2990		3500
GAWR (lbs/axle)	5200	5000	3500			
CHASSIS						
Frame	4" x 2" Steel Tube					
Tongue	4" x 2" Steel Tube					
Crossmembers	Formed Steel, 24" On-Center					
Coupler	2" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 24" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	1500 lb. with Assist					
Side Door	32" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	5200 lb. Drop Spring Brake	3500 lb. Drop Spring Brake		3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard				Battery, Switch, and Lanyard	
Tires	ST225/75R15D 8-PR		ST205/75R15C 6-PR			
Wheels	15", 6-Hole Aluminum		15", 5-Hole Steel			
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	Color Matching Screws					
Exterior Trim	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade			Flat 4-pin		Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRAVERSE CARGO
TRAVERSE FLAT TOP V-NOSE 3K

	6 x 14	7 x 12	7 x 12
Model #	F7214TVSV-050	F8412TVSV-035	F8412TVSV-030
CAPACITIES			
GVWR (lbs)	5000	3500	2990
GAWR (lbs/axle)	5200	3500	
CHASSIS			
Frame	4" x 2" Steel Tube		
Tongue	4" x 2" Steel Tube		
Crossmembers	Formed Steel, 24" On-Center		
Coupler	2" A-Frame		
Safety Chains	DOT Compliant		
Tongue Jack	2K Coupler Mounted		
Wall Studs	Steel Tube, 24" On-Center		
Roof Bows	Steel Tube, 24" On-Center		
Front Profile	V-Nose		
Ramp(s)	1500 lb. with Assist	2500 lb. with Assist	
Side Door	32" Wide Flush Lock, Wire Holdback		
Vents	Sidewall Airflow		
Fenders	Aluminum Treadplate		
Axle	5200 lb. Drop Spring Brake	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler
Hubs	Easy Lube		
Breakaway	Battery, Switch, and Lanyard		
Tires	ST225/75R15D 8-PR	ST205/75R15C 6-PR	
Wheels	15", 6-Hole Aluminum	15", 5-Hole Steel	
Exterior Finish	.030" Aluminum		
Undercoating	Automotive		
Exterior Fastening	Color Matching Screws		
Exterior Trim	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop		
Stone Guard	24" ATP		
Roof	Flat Top Seamless Aluminum		
Interior Walls	Engineered Wood		
Ceiling	Lauan Strip		
Flooring	3/4" Engineered Wood		
Interior Lights	(1) LED		
Switches	(1) Dome Light, 12V		
Connector Plug	Round 7-pin Blade		Flat 4-pin
Exterior Lights	Full LED, DOT Compliant		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRAVERSE CARGO
TRAVERSE FLAT TOP V-NOSE 7K

	6 x 12	7 x 12	7 x 14	7 x 16	8.5 x 16	8.5 x 18
Model #	F7212TVSV-070	F8412TVSV-070	F8414TVSV-070	F8416TVSV-070	F10216TVSV-070	F10218TVSV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	4" x 2" Steel Tube				6" x 2" Steel Tube	
Tongue	4" x 2" Steel Tube				6" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 24" On-Center					
Integrated Step(s)					Interior Recessed	
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 24" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	1500 lb. with Assist	2500 lb. with Assist			4000 lb. with Assist	
Side Door	32" Wide Flush Lock, Wire Holdback				36" Wide Flush Lock, Wire Holdback	
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	Color Matching Screws					
Exterior Trim	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRAVERSE CARGO
TRAVERSE FLAT TOP V-NOSE 7K

8.5 x 20	
Model #	F10220TVSV-070
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
CHASSIS	
Frame	6" x 2" Steel Tube
Tongue	6" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 24" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 24" On-Center
Roof Bows	Steel Tube, 24" On-Center
Front Profile	V-Nose
Ramp(s)	4000 lb. with Assist
Side Door	36" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Aluminum Treadplate
Axle	(2) 3500 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	Color Matching Screws
Exterior Trim	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop
Stone Guard	24" ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Ceiling	Luan Strip
Flooring	3/4" Engineered Wood
Interior Lights	(1) LED
Switches	(1) Dome Light, 12V
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRAVERSE CARGO
TRAVERSE FLAT TOP V-NOSE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Model #	F10216TVSV-100	F10218TVSV-100	F10220TVSV-100	F10222TVSV-100	F10224TVSV-100
CAPACITIES					
GVWR (lbs)	9900				
GAWR (lbs/axle)	5000				
CHASSIS					
Frame	6" x 2" Steel Tube				
Tongue	6" x 2" Steel Triple Tube				
Crossmembers	Formed Steel, 16" On-Center				
Integrated Step(s)	Interior Recessed				
Coupler	2-5/16" A-Frame				
Safety Chains	DOT Compliant				
Tongue Jack	2K Coupler Mounted				
Wall Studs	Steel Tube, 24" On-Center				
Roof Bows	Steel Tube, 24" On-Center				
Front Profile	V-Nose				
Ramp(s)	4000 lb. with Assist				
Side Door	36" Wide Flush Lock, Wire Holdback				
Vents	Sidewall Airflow				
Fenders	Aluminum Treadplate				
Axle	(2) 5200 lb. Drop Spring Brake				
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard				
Tires	ST225/75R15D 8-PR				
Wheels	15", 6-Hole Aluminum				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	Color Matching Screws				
Exterior Trim	1.5" Bottom Extrusion, 2.7" Top Extrusion, Color Matching Rear Hoop				
Stone Guard	24" ATP				
Roof	Flat Top Seamless Aluminum				
Interior Walls	Engineered Wood				
Ceiling	Luan Strip				
Flooring	3/4" Engineered Wood				
Interior Lights	(1) LED				
Switches	(1) Dome Light, 12V				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

