



# TRIUMPH ALUMINUM CAR HAULER TRIUMPH FLAT TOP V-NOSE 10K

|                           | 8.5 x 20  | 8.5 x 22          | 8.5 x 24          | 8.5 x 26          | 8.5 x 28                                   | 8.5 x 30          |
|---------------------------|---|-------------------|-------------------|-------------------|--|-------------------|
| <b>Model #</b>            | F10220THSVCHA-100   | F10222THSVCHA-100 | F10224THSVCHA-100 | F10226THSVCHA-100 | F10228THSVCHA-100                          | F10230THSVCHA-100 |
| <b>CAPACITIES</b>         |   |                   |                   |                   |  |                   |
| <b>GVWR (lbs)</b>         | 9900  |                   |                   |                   |  |                   |
| <b>GAWR (lbs/axle)</b>    | 5000  |                   |                   |                   |  |                   |
| <b>CHASSIS</b>            |   |                   |                   |                   |  |                   |
| <b>Frame</b>              | 6" x 2" Double Hollow Aluminum Tube   |                   |                   |                   | 8" x 2" Double Hollow Aluminum Tube        |                   |
| <b>Tongue</b>             | 6" x 2" Double Hollow Aluminum Triple Tube  |                   |                   |                   | 8" x 2" Double Hollow Aluminum Triple Tube |                   |
| <b>Crossmembers</b>       | Aluminum Tube, 16" On-Center  |                   |                   |                   |  |                   |
| <b>Coupler</b>            | 2-5/16" A-Frame   |                   |                   |                   |  |                   |
| <b>Safety Chains</b>      | DOT Compliant   |                   |                   |                   |  |                   |
| <b>Tongue Jack</b>        | 2K Coupler Mounted  |                   |                   |                   | 5K Coupler Mounted                         |                   |
| <b>Wall Studs</b>         | Aluminum Tube, 16" On-Center  |                   |                   |                   |  |                   |
| <b>Roof Bows</b>          | Aluminum Tube, 16" On-Center  |                   |                   |                   |  |                   |
| <b>Front Profile</b>      | V-Nose  |                   |                   |                   |  |                   |
| <b>Beavertail</b>         | 48"   |                   |                   |                   |  |                   |
| <b>Ramp(s)</b>            | 16" Extension, Aluminum with Assist   |                   |                   |                   |  |                   |
| <b>Side Door</b>          | 36" Wide Flush Lock, Cast Aluminum Holdback                                       |                   |                   |                   |  |                   |
| <b>Vents</b>              | Sidewall Airflow  |                   |                   |                   |  |                   |
| <b>Fenders</b>            | Aluminum Treadplate   |                   |                   |                   |  |                   |
| <b>Axle</b>               | (2) 5200 lb. Drop Spring Brake  |                   |                   |                   |  |                   |
| <b>Hubs</b>               | Easy Lube   |                   |                   |                   |  |                   |
| <b>Breakaway</b>          | Battery, Switch, and Lanyard  |                   |                   |                   |  |                   |
| <b>Tires</b>              | ST225/75R15D 8-PR   |                   |                   |                   |  |                   |
| <b>Wheels</b>             | 15", 6-Hole Steel   |                   |                   |                   |  |                   |
| <b>Exterior Finish</b>    | .030" Aluminum  |                   |                   |                   |  |                   |
| <b>Exterior Fastening</b> | VHB Bonded (Screwless)  |                   |                   |                   |  |                   |
| <b>Exterior Trim</b>      | 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop |                   |                   |                   |  |                   |
| <b>Stone Guard</b>        | 24" Sloped ATP  |                   |                   |                   |  |                   |
| <b>Roof</b>               | Flat Top Seamless Aluminum  |                   |                   |                   |  |                   |
| <b>Interior Walls</b>     | Engineered Wood   |                   |                   |                   |  |                   |
| <b>Interior Trim</b>      | Extruded Aluminum Wall Transitions  |                   |                   |                   |  |                   |
| <b>Ceiling</b>            | Lauan Strip   |                   |                   |                   |  |                   |
| <b>Flooring</b>           | 3/4" Engineered Wood  |                   |                   |                   |  |                   |
| <b>Interior Lights</b>    | (2) LED   |                   |                   |                   |  |                   |
| <b>Switches</b>           | (1) Dome Light, 12V   |                   |                   |                   |  |                   |
| <b>Cargo Control</b>      | (4) 5000 lb. Recessed D-Rings   |                   |                   |                   |  |                   |
| <b>Connector Plug</b>     | Round 7-pin Blade   |                   |                   |                   |  |                   |

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





# TRIUMPH ALUMINUM CAR HAULER TRIUMPH FLAT TOP V-NOSE 10K

|                        | 8.5 x 20  | 8.5 x 22 | 8.5 x 24 | 8.5 x 26 | 8.5 x 28 | 8.5 x 30 |
|------------------------|---|----------|----------|----------|----------|----------|
| <b>Exterior Lights</b> | Full LED, DOT Compliant, Integrated Backup/Taillights |          |          |          |          |          |



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**TRIUMPH ALUMINUM CAR HAULER  
TRIUMPH FLAT TOP V-NOSE 10K**

| 8.5 x 32                  |   |
|---------------------------|---|
| <b>Model #</b>            | F10232THSVCHA-100   |
| <b>CAPACITIES</b>         |   |
| <b>GVWR (lbs)</b>         | 9900  |
| <b>GAWR (lbs/axle)</b>    | 5000  |
| <b>CHASSIS</b>            |   |
| <b>Frame</b>              | 8" x 2" Double Hollow Aluminum Tube   |
| <b>Tongue</b>             | 8" x 2" Double Hollow Aluminum Triple Tube  |
| <b>Crossmembers</b>       | Aluminum Tube, 16" On-Center  |
| <b>Coupler</b>            | 2-5/16" A-Frame   |
| <b>Safety Chains</b>      | DOT Compliant   |
| <b>Tongue Jack</b>        | 5K Coupler Mounted  |
| <b>Wall Studs</b>         | Aluminum Tube, 16" On-Center  |
| <b>Roof Bows</b>          | Aluminum Tube, 16" On-Center  |
| <b>Front Profile</b>      | V-Nose  |
| <b>Beavertail</b>         | 48"   |
| <b>Ramp(s)</b>            | 16" Extension, Aluminum with Assist   |
| <b>Side Door</b>          | 36" Wide Flush Lock, Cast Aluminum Holdback                                       |
| <b>Vents</b>              | Sidewall Airflow  |
| <b>Fenders</b>            | Aluminum Treadplate   |
| <b>Axle</b>               | (2) 5200 lb. Drop Spring Brake  |
| <b>Hubs</b>               | Easy Lube   |
| <b>Breakaway</b>          | Battery, Switch, and Lanyard  |
| <b>Tires</b>              | ST225/75R15D 8-PR   |
| <b>Wheels</b>             | 15", 6-Hole Steel   |
| <b>Exterior Finish</b>    | .030" Aluminum  |
| <b>Exterior Fastening</b> | VHB Bonded (Screwless)  |
| <b>Exterior Trim</b>      | 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop |
| <b>Stone Guard</b>        | 24" Sloped ATP  |
| <b>Roof</b>               | Flat Top Seamless Aluminum  |
| <b>Interior Walls</b>     | Engineered Wood   |
| <b>Interior Trim</b>      | Extruded Aluminum Wall Transitions  |
| <b>Ceiling</b>            | Luan Strip  |
| <b>Flooring</b>           | 3/4" Engineered Wood  |
| <b>Interior Lights</b>    | (2) LED   |
| <b>Switches</b>           | (1) Dome Light, 12V   |
| <b>Cargo Control</b>      | (4) 5000 lb. Recessed D-Rings   |
| <b>Connector Plug</b>     | Round 7-pin Blade   |
| <b>Exterior Lights</b>    | Full LED, DOT Compliant, Integrated Backup/Taillights                             |

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**TRIUMPH ALUMINUM CAR HAULER  
TRIUMPH FLAT TOP V-NOSE 7K**

|                           | 8.5 x 16  | 8.5 x 18          | 8.5 x 20          | 8.5 x 22          | 8.5 x 24          |
|---------------------------|---|-------------------|-------------------|-------------------|-------------------|
| <b>Model #</b>            | F10216THSVCHA-070   | F10218THSVCHA-070 | F10220THSVCHA-070 | F10222THSVCHA-070 | F10224THSVCHA-070 |
| <b>CAPACITIES</b>         |   |                   |                   |                   |                   |
| <b>GVWR (lbs)</b>         | 7000  |                   |                   |                   |                   |
| <b>GAWR (lbs/axle)</b>    | 3500  |                   |                   |                   |                   |
| <b>CHASSIS</b>            |   |                   |                   |                   |                   |
| <b>Frame</b>              | 6" x 2" Double Hollow Aluminum Tube   |                   |                   |                   |                   |
| <b>Tongue</b>             | 6" x 2" Double Hollow Aluminum Triple Tube  |                   |                   |                   |                   |
| <b>Crossmembers</b>       | Aluminum Tube, 16" On-Center  |                   |                   |                   |                   |
| <b>Coupler</b>            | 2-5/16" A-Frame   |                   |                   |                   |                   |
| <b>Safety Chains</b>      | DOT Compliant   |                   |                   |                   |                   |
| <b>Tongue Jack</b>        | 2K Coupler Mounted  |                   |                   |                   |                   |
| <b>Wall Studs</b>         | Aluminum Tube, 16" On-Center  |                   |                   |                   |                   |
| <b>Roof Bows</b>          | Aluminum Tube, 16" On-Center  |                   |                   |                   |                   |
| <b>Front Profile</b>      | V-Nose  |                   |                   |                   |                   |
| <b>Beavertail</b>         | 32"   | 48"               |                   |                   |                   |
| <b>Ramp(s)</b>            | 16" Extension, Aluminum with Assist   |                   |                   |                   |                   |
| <b>Side Door</b>          | 36" Wide Flush Lock, Cast Aluminum Holdback                                       |                   |                   |                   |                   |
| <b>Vents</b>              | Sidewall Airflow  |                   |                   |                   |                   |
| <b>Fenders</b>            | Aluminum Treadplate   |                   |                   |                   |                   |
| <b>Axle</b>               | (2) 3500 lb. Drop Spring Brake  |                   |                   |                   |                   |
| <b>Hubs</b>               | Easy Lube   |                   |                   |                   |                   |
| <b>Breakaway</b>          | Battery, Switch, and Lanyard  |                   |                   |                   |                   |
| <b>Tires</b>              | ST205/75R15C 6-PR   |                   |                   |                   |                   |
| <b>Wheels</b>             | 15", 5-Hole Steel   |                   |                   |                   |                   |
| <b>Exterior Finish</b>    | .030" Aluminum  |                   |                   |                   |                   |
| <b>Exterior Fastening</b> | VHB Bonded (Screwless)  |                   |                   |                   |                   |
| <b>Exterior Trim</b>      | 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop |                   |                   |                   |                   |
| <b>Stone Guard</b>        | 24" Sloped ATP  |                   |                   |                   |                   |
| <b>Roof</b>               | Flat Top Seamless Aluminum  |                   |                   |                   |                   |
| <b>Interior Walls</b>     | Engineered Wood   |                   |                   |                   |                   |
| <b>Interior Trim</b>      | Extruded Aluminum Wall Transitions  |                   |                   |                   |                   |
| <b>Ceiling</b>            | Luan Strip  |                   |                   |                   |                   |
| <b>Flooring</b>           | 3/4" Engineered Wood  |                   |                   |                   |                   |
| <b>Interior Lights</b>    | (2) LED   |                   |                   |                   |                   |
| <b>Switches</b>           | (1) Dome Light, 12V   |                   |                   |                   |                   |
| <b>Cargo Control</b>      | (4) 5000 lb. Recessed D-Rings   |                   |                   |                   |                   |
| <b>Connector Plug</b>     | Round 7-pin Blade   |                   |                   |                   |                   |
| <b>Exterior Lights</b>    | Full LED, DOT Compliant, Integrated Backup/Taillights                             |                   |                   |                   |                   |

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

