



TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 7K

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7.5 x 14
Model #	F7212THSV-070	F8412THSV-070	F8414THSV-070	F8416THSV-070	F8418THSV-070	F9014THSV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	4" x 2" Steel Tube			6" x 2" Steel Tube		
Tongue	4" x 2" Steel Tube, 6" Extension		6" Extension, 6" x 2" Steel Tube			
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	24" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension with Bullnose Cap, 1500 lb. with Assist		12" Extension with Bullnose Cap, 2500 lb. with Assist			
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Aluminum, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Holder on Tongue, Round 7-pin Blade					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 7K

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7.5 x 14
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 7K

	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 14	8.5 x 16	8.5 x 18
Model #	F9016THSV-070	F9018THSV-070	F9020THSV-070	F10214THSV-070	F10216THSV-070	F10218THSV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" Extension, 6" x 2" Steel Tube			6" Extension, 6" x 2" Steel Triple Tube		
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	24" Sloped V-Nose with 12" Drop			30" Sloped V-Nose with 12" Drop		
Ramp(s)	12" Extension with Bullnose Cap, 2500 lb. with Assist			12" Extension with Bullnose Cap, 4000 lb. with Assist		
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback			36" Wide Flush Lock, Cast Aluminum Holdback		
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Aluminum, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 7K

	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 14	8.5 x 16	8.5 x 18
DIMENSIONS						
Overall Length				233"	257"	281"
Deck Length				191"	215"	239"
Deck Width				96.88"		
Deck Height				20.75"		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 7K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28
Model #	F10220THSV-070	F10222THSV-070	F10224THSV-070	F10226THSV-070	F10228THSV-070
CAPACITIES					
GVWR (lbs)	7000				
GAWR (lbs/axle)	3500				
CHASSIS					
Frame	6" x 2" Steel Tube			8" x 2" Steel Tube	
Tongue	6" Extension, 6" x 2" Steel Triple Tube			6" Extension, 8" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 16" On-Center				
Integrated Step(s)	Interior Recessed				
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard				
Safety Chains	DOT Compliant, Holders on Tongue				
Tongue Jack	2K Set-Back			5K Set-Back	
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 16" On-Center				
Front Profile	30" Sloped V-Nose with 12" Drop				
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist				
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback				
Fenders	Aluminum Treadplate				
Axle	(2) 3500 lb. Drop Spring Brake				
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard				
Tires	ST205/75R15C 6-PR				
Wheels	15", 5-Hole Aluminum, Stainless Center Caps				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop				
Stone Guard	24" Sloped ATP				
Rear Spoiler	9" Brite Aluminum Flare				
Roof	Flat Top Seamless Aluminum				
Interior Walls	Engineered Wood				
Interior Trim	Extruded Aluminum Wall Transitions				
Ceiling	White ThermoPly®				
Flooring	3/4" Engineered Wood				
Interior Lights	(2) LED				
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V				
Cargo Control	(4) 5000 lb. Recessed D-Rings				
Connector Plug	Holder on Tongue, Round 7-pin Blade				
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 7K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28
DIMENSIONS					
Overall Length	305"	329"	353"	377"	401"
Deck Length	263"	287"	311"	335"	359"
Deck Width	96.88"				
Deck Height	20.75"			22.75"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 3K

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Model #	F6008THSV-030	F6008THSV-035	F6010THSV-035	F6010THSV-030	F7210THSV-035	F7210THSV-050
CAPACITIES						
GVWR (lbs)	2990	3500		2990	3500	5000
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	4" x 2" Steel Tube					
Tongue	4" x 2" Steel Tube, 6" Extension					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	24" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension with Bullnose Cap, 1500 lb. with Assist					
Side Door					32" Wide Flush Lock, Cast Aluminum Holdback	
Fenders	Aluminum Treadplate					
Axle	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake		3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	5200 lb. Drop Spring Brake
Hubs	Easy Lube					
Breakaway		Battery, Switch, and Lanyard			Battery, Switch, and Lanyard	
Tires	ST205/75R15C 6-PR					ST225/75R15D 8-PR
Wheels	15", 5-Hole Aluminum, Stainless Center Caps					15", 6-Hole Aluminum, Stainless Center Caps
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 3K

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Flat 4-pin, Holder on Tongue	Holder on Tongue, Round 7-pin Blade	Flat 4-pin, Holder on Tongue	Holder on Tongue, Round 7-pin Blade	Flat 4-pin, Holder on Tongue	Holder on Tongue, Round 7-pin Blade
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights	(1) Rear LED Loading, Full LED, DOT Compliant	(1) Rear LED Loading, Full LED, DOT Compliant	(1) Rear LED Loading, Full LED, DOT Compliant	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 3K

	6 x 10	6 x 12	6 x 12	6 x 12	6 x 14	6 x 14
Model #	F7210THSV-030	F7212THSV-035	F7212THSV-030	F7212THSV-050	F7214THSV-035	F7214THSV-030
CAPACITIES						
GVWR (lbs)	2990	3500	2990	5000	3500	2990
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	4" x 2" Steel Tube					
Tongue	4" x 2" Steel Tube, 6" Extension					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	24" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension with Bullnose Cap, 1500 lb. with Assist					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	5200 lb. Drop Spring Brake	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard			Battery, Switch, and Lanyard		
Tires	ST205/75R15C 6-PR			ST225/75R15D 8-PR	ST205/75R15C 6-PR	
Wheels	15", 5-Hole Aluminum, Stainless Center Caps			15", 6-Hole Aluminum, Stainless Center Caps	15", 5-Hole Aluminum, Stainless Center Caps	
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 3K

	6 x 10	6 x 12	6 x 12	6 x 12	6 x 14	6 x 14
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Flat 4-pin, Holder on Tongue	Holder on Tongue, Round 7-pin Blade	Flat 4-pin, Holder on Tongue	Holder on Tongue, Round 7-pin Blade	Flat 4-pin, Holder on Tongue	Flat 4-pin, Holder on Tongue
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights	(1) Rear LED Loading, Full LED, DOT Compliant	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights	(1) Rear LED Loading, Full LED, DOT Compliant	(1) Rear LED Loading, Full LED, DOT Compliant

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 3K

	6 x 14	7 x 12
Model #	F7214THSV-050	F8412THSV-035
CAPACITIES		
GVWR (lbs)	5000	3500
GAWR (lbs/axle)	3500	
CHASSIS		
Frame	4" x 2" Steel Tube	
Tongue	4" x 2" Steel Tube, 6" Extension	6" Extension, 6" x 2" Steel Tube
Crossmembers	Formed Steel, 16" On-Center	
Coupler	2" Adjustable, Connected Latch Pin with Lanyard	
Safety Chains	DOT Compliant, Holders on Tongue	
Tongue Jack	2K Set-Back	
Wall Studs	Steel Tube, 16" On-Center	
Roof Bows	Steel Tube, 16" On-Center	
Front Profile	24" Sloped V-Nose with 12" Drop	
Ramp(s)	12" Extension with Bullnose Cap, 1500 lb. with Assist	12" Extension with Bullnose Cap, 2500 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback	
Fenders	Aluminum Treadplate	
Axle	5200 lb. Drop Spring Brake	3500 lb. Drop Spring Brake
Hubs	Easy Lube	
Breakaway	Battery, Switch, and Lanyard	
Tires	ST225/75R15D 8-PR	ST205/75R15C 6-PR
Wheels	15", 6-Hole Aluminum, Stainless Center Caps	15", 5-Hole Aluminum, Stainless Center Caps
Exterior Finish	.030" Aluminum	
Undercoating	Automotive	
Exterior Fastening	VHB Bonded (Screwless)	
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop	
Stone Guard	24" Sloped ATP	
Rear Spoiler	9" Brite Aluminum Flare	
Roof	Flat Top Seamless Aluminum	
Interior Walls	Engineered Wood	
Interior Trim	Extruded Aluminum Wall Transitions	
Ceiling	White ThermoPly®	
Flooring	3/4" Engineered Wood	
Interior Lights	(2) LED	
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V	
Cargo Control	(4) 5000 lb. Recessed D-Rings	
Connector Plug	Holder on Tongue, Round 7-pin Blade	
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH ROUND TOP ROUND FRONT 3K

	6 x 10	6 x 12	6 x 14	7 x 12
Model #	F7210THRF-030	F7212THRF-030	F7214THRF-030	F8412THRF-035
CAPACITIES				
GVWR (lbs)	2990			3500
GAWR (lbs/axle)	3500			
CHASSIS				
Frame	4" x 2" Steel Tube			
Tongue	4" x 2" Steel Tube, 6" Extension		6" Extension, 6" x 2" Steel Tube	
Crossmembers	Formed Steel, 16" On-Center			
Coupler	2" Adjustable, Connected Latch Pin with Lanyard			
Safety Chains	DOT Compliant, Holders on Tongue			
Tongue Jack	2K Set-Back			
Wall Studs	Steel Tube, 16" On-Center			
Roof Bows	Steel Tube, 16" On-Center			
Front Profile	Round			
Ramp(s)	12" Extension with Bullnose Cap, 1500 lb. with Assist		12" Extension with Bullnose Cap, 2500 lb. with Assist	
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback			
Fenders	Aluminum Treadplate			
Axle	3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake	
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST205/75R15C 6-PR			
Wheels	15", 5-Hole Aluminum, Stainless Center Caps			
Exterior Finish	.030" Aluminum			
Undercoating	Automotive			
Exterior Fastening	VHB Bonded (Screwless)			
Exterior Trim	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop			
Stone Guard	24" ATP			
Roof	Round Top Seamless Aluminum			
Roof Cap	TPO			
Interior Walls	Engineered Wood			
Interior Trim	Extruded Aluminum Wall Transitions			
Ceiling	White ThermoPly®			
Flooring	3/4" Engineered Wood			
Interior Lights	(2) LED			
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V			
Cargo Control	(4) 5000 lb. Recessed D-Rings			
Connector Plug	Flat 4-pin, Holder on Tongue		Holder on Tongue, Round 7-pin Blade	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO TRIUMPH ROUND TOP ROUND FRONT 3K

	6 x 10	6 x 12	6 x 14	7 x 12
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant			(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights
DIMENSIONS				
Overall Length	169"	193"	217"	199"
Deck Length	64.31"	88.31"	112.31"	88.56"
Deck Width	68.88"			80.88"
Deck Height	17.75"			18.75"

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH ROUND TOP ROUND FRONT 7K

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20
Model #	F7212THRF-070	F8412THRF-070	F8414THRF-070	F8416THRF-070	F8418THRF-070	F8420THSV-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	4" x 2" Steel Tube			6" x 2" Steel Tube		
Tongue	4" x 2" Steel Tube, 6" Extension		6" Extension, 6" x 2" Steel Tube			
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	Round					24" Sloped V-Nose with 12" Drop
Ramp(s)	12" Extension with Bullnose Cap, 1500 lb. with Assist		12" Extension with Bullnose Cap, 2500 lb. with Assist			
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Aluminum, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop					2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop
Stone Guard	24" ATP					24" Sloped ATP
Rear Spoiler						9" Brite Aluminum Flare
Roof	Round Top Seamless Aluminum					Flat Top Seamless Aluminum
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**TRIUMPH CARGO
TRIUMPH ROUND TOP ROUND FRONT 7K**

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					
DIMENSIONS						
Overall Length	192"	209"	233"	257"	281"	
Deck Length	88.31"	88.56"	112.56"	136.56"	160.56"	
Deck Width	68.88"	80.88"				
Deck Height	18.75"	20.75"				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH ROUND TOP ROUND FRONT 7K

	7 x 20	8.5 x 12	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
Model #	F8420THRF-070	F10212THSV-070	F10216THRF-070	F10218THRF-070	F10220THRF-070	F10222THRF-070
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" Extension, 6" x 2" Steel Tube	6" Extension, 6" x 2" Steel Triple Tube				
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	Round	30" Sloped V-Nose with 12" Drop	Round			
Ramp(s)	12" Extension with Bullnose Cap, 2500 lb. with Assist	12" Extension with Bullnose Cap, 4000 lb. with Assist				
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback	36" Wide Flush Lock, Cast Aluminum Holdback				
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Aluminum, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop			
Stone Guard	24" ATP	24" Sloped ATP	24" ATP			
Rear Spoiler		9" Brite Aluminum Flare				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH ROUND TOP ROUND FRONT 7K

	7 x 20	8.5 x 12	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
Roof	Round Top Seamless Aluminum	Flat Top Seamless Aluminum	Round Top Seamless Aluminum			
Roof Cap	TPO		TPO			
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					
DIMENSIONS						
Overall Length	305"	209"	257"	281"	305"	329"
Deck Length	184.56"	167"	196.88"	220.88"	244.88"	268.88"
Deck Width	80.88"	96.88"				
Deck Height	20.75"					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH ROUND TOP ROUND FRONT 7K

8.5 x 24	
Model #	F10224THRF-070
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
CHASSIS	
Frame	6" x 2" Steel Tube
Tongue	6" Extension, 6" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard
Safety Chains	DOT Compliant, Holders on Tongue
Tongue Jack	2K Set-Back
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	Round
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback
Fenders	Aluminum Treadplate
Axle	(2) 3500 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Aluminum, Stainless Center Caps
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop
Stone Guard	24" ATP
Roof	Round Top Seamless Aluminum
Roof Cap	TPO
Interior Walls	Engineered Wood
Interior Trim	Extruded Aluminum Wall Transitions
Ceiling	White ThermoPly®
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Holder on Tongue, Round 7-pin Blade
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH ROUND TOP ROUND FRONT 7K

8.5 x 24

DIMENSIONS

Overall Length	353"
Deck Length	292.88"
Deck Width	96.88"
Deck Height	20.75"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRIUMPH CARGO
TRIUMPH ROUND TOP ROUND FRONT 10K

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12	8.5 x 14
Model #	F8414THRF-100	F8416THRF-100	F8418THRF-100	F8420THRF-100	F10212THRF-100	F10214THRF-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" Extension, 6" x 2" Steel Tube				6" Extension, 6" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)						Interior Recessed
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	Round					
Ramp(s)	12" Extension with Bullnose Cap, 2500 lb. with Assist				12" Extension with Bullnose Cap, 4000 lb. with Assist	
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback				36" Wide Flush Lock, Cast Aluminum Holdback	
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Aluminum, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop					
Stone Guard	24" ATP					
Roof	Round Top Seamless Aluminum					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH ROUND TOP ROUND FRONT 10K

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12	8.5 x 14
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					
DIMENSIONS						
Overall Length	222"	246"	270"	294"		
Deck Length	112.56"	136.56"	160.56"	184.56"		
Deck Width	80.88"					
Deck Height	21.75"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRIUMPH CARGO
TRIUMPH ROUND TOP ROUND FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	F10216THRF-100	F10218THRF-100	F10220THRF-100	F10222THRF-100	F10224THRF-100	F10226THRF-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" Extension, 6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	Round					
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Aluminum, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 2.7" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop					
Stone Guard	24" ATP					
Roof	Round Top Seamless Aluminum					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH ROUND TOP ROUND FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
DIMENSIONS						
Overall Length	257"	281"	305"	329"	353"	
Deck Length	196.88"	220.88"	244.88"	268.88"	292.88"	
Deck Width	96.88"					
Deck Height	21.75"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 10K

	7 x 14	7 x 16	7 x 18	7 x 20	7.5 x 14	7.5 x 16
Model #	F8414THSV-100	F8416THSV-100	F8418THSV-100	F8420THSV-100	F9014THSV-100	F9016THSV-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" Extension, 6" x 2" Steel Tube					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	24" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension with Bullnose Cap, 2500 lb. with Assist					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Aluminum, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 10K

	7.5 x 18	7.5 x 20	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18
Model #	F9018THSV-100	F9020THSV-100	F10212THSV-100	F10214THSV-100	F10216THSV-100	F10218THSV-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube					
Tongue	6" Extension, 6" x 2" Steel Tube			6" Extension, 6" x 2" Steel Triple Tube		
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	24" Sloped V-Nose with 12" Drop			30" Sloped V-Nose with 12" Drop		
Ramp(s)	12" Extension with Bullnose Cap, 2500 lb. with Assist			12" Extension with Bullnose Cap, 4000 lb. with Assist		
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback			36" Wide Flush Lock, Cast Aluminum Holdback		
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Aluminum, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Holder on Tongue, Round 7-pin Blade					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 10K

	7.5 x 18	7.5 x 20	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					
DIMENSIONS						
Overall Length			209"	233"	257"	281"
Deck Length			167"	191"	215"	239"
Deck Width			96.88"			
Deck Height			21.75"			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 10K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30
Model #	F10220THSV-100	F10222THSV-100	F10224THSV-100	F10226THSV-100	F10228THSV-100	F10230THSV-100
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	6" x 2" Steel Tube				8" x 2" Steel Tube	
Tongue	6" Extension, 6" x 2" Steel Triple Tube				6" Extension, 8" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	2K Set-Back				5K Set-Back	
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Aluminum, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 10K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30
DIMENSIONS						
Overall Length	305"	329"	353"	377"	401"	425"
Deck Length	263"	287"	311"	335"	359"	383"
Deck Width	96.88"					
Deck Height	21.75"			23.75"		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 10K

	8.5 x 32	8.5 x 34
Model #	F10232THSV-100	F10234THSV-100
CAPACITIES		
GVWR (lbs)	9900	
GAWR (lbs/axle)	5000	
CHASSIS		
Frame	8" x 2" Steel Tube	
Tongue	6" Extension, 8" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 16" On-Center	
Integrated Step(s)	Interior Recessed	
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard	
Safety Chains	DOT Compliant, Holders on Tongue	
Tongue Jack	5K Set-Back	
Wall Studs	Steel Tube, 16" On-Center	
Roof Bows	Steel Tube, 16" On-Center	
Front Profile	30" Sloped V-Nose with 12" Drop	
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist	
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback	
Fenders	Aluminum Treadplate	
Axle	(2) 5200 lb. Drop Spring Brake	
Hubs	Easy Lube	
Breakaway	Battery, Switch, and Lanyard	
Tires	ST225/75R15D 8-PR	
Wheels	15", 6-Hole Aluminum, Stainless Center Caps	
Exterior Finish	.030" Aluminum	
Undercoating	Automotive	
Exterior Fastening	VHB Bonded (Screwless)	
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop	
Stone Guard	24" Sloped ATP	
Rear Spoiler	9" Brite Aluminum Flare	
Roof	Flat Top Seamless Aluminum	
Interior Walls	Engineered Wood	
Interior Trim	Extruded Aluminum Wall Transitions	
Ceiling	White ThermoPly®	
Flooring	3/4" Engineered Wood	
Interior Lights	(2) LED	
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V	
Cargo Control	(4) 5000 lb. Recessed D-Rings	
Connector Plug	Holder on Tongue, Round 7-pin Blade	
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 10K

8.5 x 32

8.5 x 34

DIMENSIONS

Overall Length	449"	473"
Deck Length	407"	431"
Deck Width	96.88"	
Deck Height	23.75"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 16K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30
Model #	F10220THSV-160	F10222THSV-160	F10224THSV-160	F10226THSV-160	F10228THSV-160	F10230THSV-160
CAPACITIES						
GVWR (lbs)	16000					
GAWR (lbs/axle)	7000					
CHASSIS						
Frame	8" x 2" Steel Tube					
Tongue	6" Extension, 8" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	12K Drop Leg, Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 12" Drop					
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	(2) 8000 lb. Drop Spring Brake					
Hubs	Oil Bath					
Breakaway	Battery, Switch, and Lanyard					
Tires	215/75R17.5J 18-PR					
Wheels	17.5", 8-Hole Aluminum, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 14K

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16	8.5 x 18
Model #	F8414THSV-140	F8416THSV-140	F8418THSV-140	F8420THSV-140	F10216THSV-140	F10218THSV-140
CAPACITIES						
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
CHASSIS						
Frame	8" x 2" Steel Tube					
Tongue	6" Extension, 8" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard					
Safety Chains	DOT Compliant, Holders on Tongue					
Tongue Jack	7K Drop Leg, Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	24" Sloped V-Nose with 12" Drop				30" Sloped V-Nose with 12" Drop	
Ramp(s)	12" Extension with Bullnose Cap, 2500 lb. with Assist				12" Extension with Bullnose Cap, 4000 lb. with Assist	
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback				36" Wide Flush Lock, Cast Aluminum Holdback	
Fenders	Aluminum Treadplate					
Axle	(2) 8000 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Aluminum, Stainless Center Caps					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" Sloped ATP					
Rear Spoiler	9" Brite Aluminum Flare					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO TRIUMPH FLAT TOP SLOPED V-NOSE 14K

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16	8.5 x 18
Connector Plug	Holder on Tongue, Round 7-pin Blade					
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					
DIMENSIONS						
Overall Length					257"	281"
Deck Length					215"	239"
Deck Width					96.88"	
Deck Height					25.25"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 14K

	8.5 x 20	8.5 x 24
Model #	F10220THSV-140	F10224THSV-140
CAPACITIES		
GVWR (lbs)	14000	
GAWR (lbs/axle)	7000	
CHASSIS		
Frame	8" x 2" Steel Tube	
Tongue	6" Extension, 8" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 16" On-Center	
Integrated Step(s)	Interior Recessed	
Coupler	2-5/16" Adjustable, Connected Latch Pin with Lanyard	
Safety Chains	DOT Compliant, Holders on Tongue	
Tongue Jack	7K Drop Leg, Set-Back	
Wall Studs	Steel Tube, 16" On-Center	
Roof Bows	Steel Tube, 16" On-Center	
Front Profile	30" Sloped V-Nose with 12" Drop	
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist	
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback	
Fenders	Aluminum Treadplate	
Axle	(2) 8000 lb. Drop Spring Brake	
Hubs	Easy Lube	
Breakaway	Battery, Switch, and Lanyard	
Tires	ST235/80R16E 10-PR	
Wheels	16", 8-Hole Aluminum, Stainless Center Caps	
Exterior Finish	.030" Aluminum	
Undercoating	Automotive	
Exterior Fastening	VHB Bonded (Screwless)	
Exterior Trim	2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Brite Aluminum Rear Hoop	
Stone Guard	24" Sloped ATP	
Rear Spoiler	9" Brite Aluminum Flare	
Roof	Flat Top Seamless Aluminum	
Interior Walls	Engineered Wood	
Interior Trim	Extruded Aluminum Wall Transitions	
Ceiling	White ThermoPly®	
Flooring	3/4" Engineered Wood	
Interior Lights	(2) LED	
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V	
Cargo Control	(4) 5000 lb. Recessed D-Rings	
Connector Plug	Holder on Tongue, Round 7-pin Blade	
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





TRIUMPH CARGO
TRIUMPH FLAT TOP SLOPED V-NOSE 14K

8.5 x 20

8.5 x 24

DIMENSIONS

Overall Length	305"	353"
Deck Length	263"	311"
Deck Width	96.88"	
Deck Height	25.25"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.